

MATERIAL SAFETY DATA SHEET

SECTION I - MATERIAL IDENTIFICATION AND USE

Part Numbers: MJ1-1, MJ1-5

Material Name Identifier:

Midjet Black Ink

Supplier Name: Sterling Marking Products Inc.
 Street Address: 349 Ridout St. N.,
 City and Province: London, Ontario
 Postal Code: N6A 2N8

Telephone Numbers: (519) 434-5785, (800) 265-5957
 Fax Number: (519) 434-9516, (800) 667-6600
 Webpage: <http://www.sterling.ca>

Emergency Telephone Number: CANUTEC (613) 996-6666; Cellular *666

Material Use: Ink

TDG Shipping Information:

Not regulated

WHMIS Classification:

Class D, Division 2B - Skin/Eye Irritant

IATA Shipping (Air):

Not regulated

SECTION II - HAZARDOUS INGREDIENTS

Component	CAS Registry	Toxicology	Concentration % (w/w)
Dipropylene glycol monomethyl ether	34590-94-8	ACGIH TLV-TWA 100 ppm; STEL 150 ppm (skin) L _D 50: 5.5 mL/kg (oral, rat) L _C 50: Not available	5-10
Ethylene glycol	107-21-1	ACGIH TLV-CL 100 mg/m ³ (aerosol) L _D 50: 4700mg/kg (oral, rat) L _C 50: 10876mg/kg (inhalation, rat)	10-30
Marlophen NP9	37205-87-1	TLV: Not available L _D 50: Not available L _C 50: Not available	1-5
Water (Deinised)	7732-18-5	TLV: Not available L _D 50: Not available L _C 50: Not available	50-70

Note: All ingredients are listed on the Domestic Substances List (DSL) and the Toxic Substances Control Act (TSCA) list.

SECTION III - PHYSICAL DATA

Physical State: Liquid
 Specific Gravity: 0.95-1
 Colour: Black
 Viscosity: As water
 Clarity: Opaque

% Volatile: Not available
 Boiling Point (°C): 100
 Odour: Solvent
 Solubility in Water (20 °C):
 Flash Point (°C): >120

SECTION IV - FIRE AND EXPLOSION DATA

Flammability: Not flammable

Flash Point (°C TCC): >120

LEL (% vol) lowest value of components: Not available
UEL (% vol) highest value of components: Not available
Hazardous Combustion Products: Oxides of carbon
Means of Extinction: Carbon dioxide, dry chemical, alcohol foam

SECTION V - REACTIVITY DATA

Stability: Stable
Incompatibility: Oxidizing materials
Hazardous Decomposition Products: Oxides of carbon.

SECTION VI - TOXICOLOGICAL PROPERTIES

Route of Entry: Eye, Skin, Inhalation, Ingestion
Effects of Acute Exposure:
Eye: Can cause irritation, redness, tearing and blurred vision.
Skin: Prolonged or repeated contact can cause minor skin irritation.
Inhalation: Excessive inhalation of vapours can cause nasal and respiratory irritation.
Ingestion: Can cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Effects of Chronic Exposure:
Skin: Prolonged or repeated contact can cause minor skin irritation.
Inhalation: Excessive inhalation of vapours can cause nasal and respiratory irritation.
Irritancy: Hazardous by WHMIS criteria
Respiratory Tract Sensitization: Insufficient data available
Carcinogenicity: Not hazardous by WHMIS criteria
Synergistic Materials: No information available
Reproductive Effects: Insufficient data available
Teratogenicity: Insufficient data available
Mutagenicity: Insufficient data available

SECTION VII - PREVENTATIVE MEASURES

Gloves: Solvent impermeable gloves are required for repeated or prolonged contact.
Eye Protection: Wear safety glasses meeting the specification of ANSI Z87.1 where no contact with the eye is anticipated.
Chemical safety goggles meeting the specifications of ANSI Z87.1 should be worn whenever there is a possibility of splashing or other contact with the eyes.
Respiratory Protection: None required.
Other Protective Equipment: As necessary to avoid prolonged contact.
Engineering Controls: None required.
Leak and Spill Procedure: Before attempting clean-up, refer to hazard data given above. Keep spectators away. Eliminate all ignition sources. Dike and contain small spills with an inert material and placed in suitable, covered labeled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice.
Waste Disposal: Review federal, provincial and local government requirements prior to disposal.
Storage Requirements: Store in a tightly closed container. Store away from incompatible materials. Store in a cool, dry, well-ventilated area. Ensure storage area has adequate ventilation, and no source of open flame or sparks. Limit quantity of the material in storage. Ensure all bottles are properly labeled.

SECTION VIII - FIRST AID

Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Eye: Immediately flush eyes with a directed stream of water for 15 minutes, while holding eyelids open. If irritation or redness develops or persists, get medical attention.

Skin: Flush affected areas with large amounts of water, remove contaminated clothing. Wash affected areas thoroughly with soap and water. If irritation or redness develops or persists, get medical attention.

Inhalation: Remove victim to fresh air. If breathing difficulties develop, administer oxygen and get medical attention. If victim is not breathing, administer artificial respiration and get medical attention.

Ingestion: DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs (Aspiration pneumonitis can be fatal). If victim conscious and alert, give victim lukewarm water. Never give anything by mouth if victim is unconscious, is rapidly losing consciousness or is convulsing. GET IMMEDIATE MEDICAL ATTENTION.

SECTION IX - PREPARATION AND ADDITIONAL INFORMATION

Prepared by: Sterling Marking Products Inc.
Quality Planning and Engineering Department
349 Ridout St., N.
London, Ontario N6A 5S4

Supersedes: December 10, 2007
Revision Date: April 10, 2012

Expires: 10-Apr-15

Information for this material safety data sheet was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond the control of the supplier, it is assumed that user of this material has been fully trained according to the mandatory requirements of WHMIS. If user requires independent information on ingredients in this or any other material, we recommend contact with the Canadian Centre for Occupational Health and Safety (CCOHS) in Hamilton, Ontario (1-800-263-8276) or CSST in Montreal, Quebec (514-873-3990).