

MSDS Reference Number(s): RS100, RS100-2, RS100-4, RS100-4, RS100-8, RS100-16, RS100-32, MM100

MATERIAL SAFETY DATA SHEET

SECTION I - MATERIAL IDENTIFICATION AND USE

Material Name Identifier:

RS-100 (Burgundy, Red) Ink

Supplier Name: Sterling Marking Products Inc.
 Street Address: 349 Ridout St. N.,
 City and Province: London, Ontario
 Postal Code: N6A 2N8

Telephone Numbers: (519) 434-5785, (800) 265-5957
 Fax Number: (519) 434-9516, (800) 667-6600
 Webpage: <http://www.sterling.ca>

Emergency Telephone Number: CANUTEC (613) 996-6666; Cellular *666

Material Use: Ink

TDG Shipping Information:

Not regulated

WHMIS Classification:

Class B, Division 3 - Combustible Liquids
 Class D, Division 2B - Skin/Eye Irritant

IATA Shipping (Air):

Not regulated

SECTION II - HAZARDOUS INGREDIENTS

Component	CAS Registry	Toxicology	Concentration % (w/w)
Ethylene glycol	107-21-1	TLV: 50ppm LD50: 4700mg/kg (oral, rat) LC50: 10876mg/kg (inhalation, rat)	30-60
Diacetone alcohol	123-42-2	TLV: 50ppm LD50: 4000mg/kg (oral, rat) LC50: 1000ppm (inhalation, rat)	15-40
Acetic acid	64-19-7	TLV: 10ppm LD50: 3310mg/kg (oral, rat) LC50: 5620ppm/1H (inhalation, mouse)	1-5

SECTION III - PHYSICAL DATA

Physical State: Liquid
 Specific Gravity: 1.04
 Colour: Red or Burgundy
 Viscosity: As water
 Clarity: Opaque

% Volatile: 94
 Boiling Point (°C): 128
 Odour: Strong
 Solubility in Water (20 °C): Soluble
 Flash Point (°C): 80

SECTION IV - FIRE AND EXPLOSION DATA

Flammability: Combustible
 LEL (% vol) lowest value of components: 1.8
 UEL (% vol) highest value of components: 6.9
 Hazardous Combustion Products: Oxides of carbon
 Means of Extinction: Carbon dioxide, dry chemical, alcohol foam
 Flash Point (°C TCC): 80

SECTION V - REACTIVITY DATA

Stability: Stable
Incompatibility: Oxidizing materials
Hazardous Decomposition Products: Oxides of carbon.

SECTION VI - TOXICOLOGICAL PROPERTIES

Route of Entry: Eye, Skin, Inhalation, Ingestion

Effects of Acute Exposure:

Eye: Can cause irritation, redness, tearing and blurred vision.

Skin: Prolonged or repeated contact can cause minor skin irritation.

Inhalation: May cause nose, throat, and respiratory tract irritation, coughing and headaches. Higher levels result in dizziness, nausea and depression of the central nervous system (CNS). At extremely high levels (i.e. >1000ppm), effects range from unconsciousness, respiratory depression, and even death.

Ingestion: May cause vomiting, headaches, abdominal pain, weakness, as well as drunkenness, dizziness, stupor, convulsions and coma. Death may occur from respiratory arrest or cardiovascular collapse.

Effects of Chronic Exposure:

Skin: Repeated or prolonged contact may cause drying, cracking, irritation, and dermatitis.

Inhalation: Excessive inhalation of vapours can cause nasal and respiratory irritation.

Irritancy: Hazardous by WHMIS criteria

Respiratory Tract Sensitization: Insufficient data available

Carcinogenicity: Not hazardous by WHMIS criteria

Synergistic Materials: No information available

Reproductive Effects: Insufficient data available

Teratogenicity: Insufficient data available

Mutagenicity: Insufficient data available

SECTION VII - PREVENTATIVE MEASURES

Gloves: Solvent impermeable gloves are required for repeated or prolonged contact.

Eye Protection: Wear safety glasses meeting the specification of ANSI Z87.1 where no contact with the eye is anticipated.

Chemical safety goggles meeting the specifications of ANSI Z87.1 should be worn whenever there is a possibility of splashing or other contact with the eyes.

Respiratory Protection: None required.

Other Protective Equipment: As necessary to avoid prolonged contact.

Engineering Controls: None required.

Leak and Spill Procedure: Before attempting clean-up, refer to hazard data given above. Keep spectators away. Eliminate all ignition sources. Dike and contain small spills with an inert material and placed in suitable, covered labeled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice.

Waste Disposal: Review federal, provincial and local government requirements prior to disposal.

Storage Requirements: Store in a tightly closed container. Store away from incompatible materials. Store in a cool, dry, well-ventilated area. Ensure storage area has adequate ventilation, and no source of open flame or sparks. Limit quantity of the material in storage. Ensure all bottles are properly labeled.

SECTION VIII - FIRST AID

Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Eye: Immediately flush eyes with a directed stream of water for atleast 20 minutes, while holding eyelids open. If irritation or redness develops or persists, get medical attention.

Skin: Flush affected areas with large amounts of water, remove contaminated clothing. Wash affected areas thoroughly with soap and water. If irritation or redness develops or persists, get medical attention.

Inhalation: Remove victim to fresh air. If breathing difficulties develop, administer oxygen and get medical attention. If victim is not breathing, administer artificial respiration and get medical attention.

Ingestion: DO NOT INDUCE VOMITING. If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs (Aspiration pneumonitis can be fatal). If victim conscious and alert, give victim lukewarm water. Never give anything by mouth if victim is unconscious, is rapidly losing consciousness or is convulsing. GET IMMEDIATE MEDICAL ATTENTION.

SECTION IX - PREPARATION AND ADDITIONAL INFORMATION

Prepared by: Sterling Marking Products Inc.
Quality Planning and Engineering Department
349 Ridout St., N.
London, Ontario N6A 5S4

Supersedes: April 26, 2006
Revision Date: July 14, 2008

Expires: 14-Jul-2011

Information for this material safety data sheet was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond the control of the supplier, it is assumed that user of this material has been fully trained according to the mandatory requirements of WHMIS. If user requires independent information on ingredients in this or any other material, we recommend contact with the Canadian Centre for Occupational Health and Safety (CCOHS) in Hamilton, Ontario (1-800-263-8276) or CSST in Montreal, Quebec (514-873-3990).